
# **Garden Windows Tip-to-Tip Dimensioning Formulas**





#### Top View (Width)

A. Garden Window Inside Dimension (GWID)

Formula for Tip-to-Tip: GWID + 2.937" per side (GWID + 5.875")

**B. Finished Opening (FO)** 


Formula for Tip-to-Tip:

FO + 1.355" per side + 0.5" per side (FO + 3.71")

Note: Using 0.5" wall surface material

C. Rough Opening (RO)

Formula for Tip-to-Tip: RO + 1.329" per side (RO + 2.658")



#### Side View (Height)

A. Garden Window Inside Dimension (GWID)

Formula for Tip-to-Tip:

GWID + 2.688" at top + 1.25" at bottom (GWID + 3.938")

**B. Finished Opening (FO)** 

Formula for Tip-to-Tip: FO + 2.0" at top + 1.25" at bottom (FO + 3.25")

Note: Using 0.5" wall surface material

C. Rough Opening (RO)

Formula for Tip-to-Tip: RO + 1.5" at top + 0.75" at bottom (RO + 2.25")

Note: Using 0.5" wall surface material


## **Garden Windows**

# 3 Options for Tip-to-Tip Dimensioning: Width





Frame needs to be removed




Series 2051 Garden Window Flanged Stucco

(RO = 36")

Formula: RO + 1.329" + 1.329" (1.329" each side for a total of 2.658")

Tip-to-Tip = 38.658" wide

\*Note: There is still room to go wider




Series 2050 Garden Window New Construction

(RO = 36")

Formula: Slightly downsize unit to fit (recommend 0.5" deduction)

Tip-to-Tip = 35.5" wide



Series 2050 Garden Window Retrofit

(RO = 36")

Formula: RO minus total wall surface thickness x 2 using 0.5" material.


36" - 0.5" - 0.5" = 35"

35" with additional 0.5" deduction to ensure fit = 34.5"

Tip-to-Tip = 34.5" wide

## **Garden Windows**


## **3 Options for Tip-to-Tip Dimensioning: Height**



Existing Window

(RO = 36")

Frame needs to be removed



Series 2051 Garden Window Flanged Stucco


(RO = 36")

Formula:

RO + .75" at bottom (using .05" thick sill material + 1.5" at top (for a total of + 2.25")

Tip-to-Tip = 38.658" high

\*Note: There is still room to go wider




Series 2050 Garden Window New Construction

(RO = 36")

Formula: Slightly downsize unit to fit (recommend 0.5" deduction)

Tip-to-Tip = 35.5" high



Series 2050 Garden Window Retrofit

(RO = 36")

Formula: RO minus head and sill thickness using 0.5" material.

36" - 0.5" - 0.5" = 35"

35" with additional 0.5" deduction to ensure fit = 34.5"

Tip-to-Tip = 34.5" high